



Certificate of constancy of performance
No. 1325-CPR-3425

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product(s)

Self-supporting double skin metal (flat and profiled) faced insulating panels
TENAX W MW [S,T,H], TENAX W MW THERMO PLUS [S,T,H],
TENAX W MW STRONG [S,T,H] and TENAX TR MW S
with mineral wool core for internal and external walls and ceiling inside the building envelope, and for external wall, cladding, as specified in the annex,

PLACED ON THE MARKET UNDER THE NAME OF:

SIA “Tenax Panel”

Spodrības iela 1, Dobele, Dobeles novads, LV-3701, Latvia; reg. No. 40203186964

AND PRODUCED IN THE MANUFACTURING PLANT(S):
SIA „Tenax Panel”, Lauku iela 23, Dobele, Dobeles novads, LV-3701, Latvia

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 14509:2013

Under system 1 for the performance set out in this certificate are applied and that the performance of the construction product is assessed to remain constant.

This certificate was first issued on 2 January 2019 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by notified factory production control certification body.

20 April 2023

Martins Maskavs
Certification Manager



Certificate issued on 1 (one) page with Annex on 1 (one) page



EN ISO/IEC 17065
S1-182

AS Inspecta Latvia
Skanstes iela 54A, Rīga
LV-1013, Latvija

T. +371 67 607 900
F. +371 67 607 901
latvia@kiwa.com

www.kiwa.com/lv

Inspecta Latvia
Trust, Quality & Progress

CERTIFICATE



Product: Self-supporting double skin metal (flat and profiled) faced insulating panels *TENAX W MW* and *TENAX TR MW S* with mineral wool core for internal and external walls and ceiling inside the building envelope, and for external wall, cladding.

Manufacturer: SIA „Tenax Panel”, Lauku iela 23, Dobele, Dobeles novads, LV-3701, Latvia.

Characteristics	Panel type and criteria of conformity		
Panel designation	TENAX W MW S TENAX W MW THERMO PLUS S TENAX W MW STRONG S	TENAX W MW T TENAX W MW THERMO PLUS T TENAX W MW STRONG T	TENAX W MW H TENAX W MW THERMO PLUS H TENAX W MW STRONG H TENAX TR MW S
Core	MW		
Panel thickness, mm	50-80	100-300	50-300
Reaction to fire			
Class	A2 - s1,d0		

20 April 2023

Martins Maskavs
Certification Manager



EN ISO/IEC 17065
S1-182
AS Inspecta Latvia
Skanstes iela 54A, Rīga
LV-1013, Latvija

T. +371 67 607 900
F. +371 67 607 901
latvia@kiwa.com

www.kiwa.com/lv